




SHOCKER Y 180HSHS

ABSORBEDOR DE ENERGÍA

FICHA TÉCNICA

Descripción

- Absorbedor de energía con doble cinta.
- Diseñado para soportar caídas y reducir el impacto de caída.
- Chip NFC Ready: Chip incorporado para trazabilidad de producto, estado y revisión.

CARACTERÍSTICAS

Características generales	Longitud	1,80m	
	Peso	2500g	
	Vida útil	10 años de uso + 2 años de almacenamiento	
Características técnicas	Capacidad de uso	140kg	
	Norma	ANSI Z359.13	
	Resistencia cierre	16kN (3600lbs)	
	Ancho cinta	30mm	
	Distancia máxima de despliegue	1,20m	
Materiales	Componente	Material	
	Absorbedor	Poliéster	
	Cinta	Poliéster	
	Ganchos	Acero	
Conectores	Componente	Material	Abertura
	Gancho pequeño	Acero	21mm
	Gancho grande	Acero	66mm

ENERGY ABSORBER

Description

- Energy absorber with double tape.
- Designed to withstand falls and reduce fall impact.
- NFC Ready Chip: Built-in chip for product traceability, status and revision.

CHARACTERISTICS

General characteristics	Length	1,80m	
	Weight	2500g	
	Shelf life	10 years of use + 2 years of storage	
Technical characteristics	Capacity to use	140kg	
	Norma	ANSI Z359.13	
	Closing resistance	16kN (3600lbs)	
	Tape width	30mm	
	Maximum deployment distance	1,20m	
Materials	Component	Material	
	Absorber	Polyester	
	Tape	Polyester	
	Hooks	Steel	
Connectors	Component	Material	Opening
	Small hook	Steel	21mm
	Large hook	Steel	66mm